

TECHNICAL DATA SHEET

0890 200, 0890 300, 0890 300 1

Rost Off Plus

High-quality rust remover with additional lubricating properties thanks to new additive technology (OMC2)

Fields of application:

For loosening extremely rusty and oxidised screw connections on passenger cars, lorries, agricultural and construction machinery, equipment and devices.

Properties:

- High capillary activity.
 - ▶ Optimum creeping properties ensure outstanding rust penetration and extensive rust removal.
- Contains liquid, highly effective organic molybdenum compound OMC2.
 - ▶ In contrast to products that contain solid lubricants, e.g. MOS₂, OMC2 does not precipitate out in larger containers.
 - ▶ Friction is reduced.
 - ▶ Excellent lubricating effect by smoothing the metal surface.
 - ▶ Ensures permanent smooth running of connections.
- Optimum corrosion protection due to addition of corrosion-protection additives.
 - ▶ Provides lasting protection against further corrosion.
- Resin and acid-free.
- Silicone-free.
- Compatible with rubber and plastic.

Application:

Spray the parts to be treated and allow to take effect briefly. In case of stubborn connections, repeat application and extend penetration time if necessary.

Technical data:

Base	Mineral oil
Solid lubricant	OMC2 additive
Colour	Light yellow, transp.
Density at 20°C (active substance)	0,778 g/cm ³
Temperature range	-10°C to +140°C

Version: 001, Date: 18/07/2017

TECHNICAL DATA SHEET

Flashing point of active ingredient (oil), without solvent	200 °C
Base oil viscosity at 40 °C	16.5 mm ² /s

Notes:

–

We provide this advice based on our own tests and experience and to the best of our knowledge. However, due to the large number of applications and the storage and handling conditions that lie outside the scope of our influence, we assume no liability for the application results in individual cases.

This also applies in the event that customers avail themselves of the non-binding technical and commercial customer service we provide. We always recommend that you conduct your own tests. We guarantee the consistent quality of our products. We reserve the right to make technical changes and to further develop our products.