

A man with a beard, wearing a black t-shirt, red safety glasses, and large black earmuffs, is using a black and red Würth power drill. He is wearing black gloves and red cargo pants. The background is a construction site with scaffolding, all overlaid with a red tint.

WÜRTH **PERSONAL PROTECTIVE EQUIPMENT** **2026 EDITION**

Würth UK Ltd, 1 Centurion Way, Erith Kent, DA18 4AE United Kingdom T: 03300 555 444 customer.services@wurth.co.uk

CONTENTS

Protective headgear

Pages 7 -11

Protective Eyewear

Pages 13-17

Hearing protection

Pages 19 - 24

Breathing protection

Pages 27-36

Protective Gloves

Pages 39-52

Protective Clothing

Pages 55-59

Welding Protection

Pages 61-63

First Aid

Pages 65-67

Würth: Your Specialist For Personal Protective Equipment

For over 50 years Würth has been serving tradespeople, construction companies, automotive specialists and gaining the insights of these professionals on everything PPE. During this time Würth has developed a PPE product portfolio that meets all relevant industry regulations and safety standards.

Safety from head to toe

The Würth product portfolio features an extensive selection of protective equipment that covers all aspects of safety including hand, foot, skin, head, hearing, respiratory, facial and eye protection. Additionally Würth supply effective first aid equipment to ensure your business meets all H&S requirements and you are prepared for any situation.

Health and Safety Regulations

The Personal Protective Equipment regulations within the EU regulation (2016/425) on personal protective equipment regulates essential requirements for personal protective equipment, classifying them into three risk categories:

- Category I includes only minor risks
- Category II includes risks that do not fall into categories I or III
- Category III includes exclusively the risks that may cause serious consequences such as death or irreversible damage to health.

Corresponding European standards (EN) further specify the specific requirements and testing procedures for PPE products.



Don't become careless!
Why is protective equipment so important?

Due to non-fatal workplace injuries

4,4M

working days lost

Labour Force Survey (LFS) self-reported estimates 24/25

680,000

**workers sustained
non-fatal injury**

Self reports from the labour force survey 24.25

124
**workers killed in
work related injuries**

RIDDOR 24/25

6.5B
**annual cost of
workplace injury**

Estimates based on HSE Cost Model



SH 3000 Safety Helmet

Individually adjustable and ergonomic safety helmet with short helmet peak

Art.No 0899 200 345

Pg 11

PROTECTIVE HEADGEAR

YOUR PROTECTION. OUR MISSION.

PROTECTIVE HEADGEAR

Wearing protective headgear on the construction site is necessary in order to protect yourself against falling parts, for example. Headgear does not only include traditional hard hats, but also special hard hats with neck protection, earmuffs and visors, as well as hard hats for electricians and for working at great height as well as bump caps. Make sure your headgear is compatible with your other personal protective equipment. There are many possible combinations.



Protective Headgear - Pro-Tek



Hard Hat Pro-Tek Basic 4-Point

- EN standard: 397.
- Robust design with reinforced roof area
 - Energy-absorbing shape/lattice structure
 - Optimum neck protection
 - Ventilation holes
 - 30 mm insert pockets for hearing protection/face guard
 - Sweatband made from absorbent fleece material

Colour	Art.No.	P.Qty.
Blue	0899 200 114	1
Red	0899 200 112	1
White	0899 200 111	1
Yellow	0899 200 110	1



ONLY
£7.99 /unit



Safety helmet Pro-Tek 6-point
Pro-Tek 6-point

- Robust design with reinforced roof area
- Energy-absorbing shape/lattice structure
- Optimum neck protection
- Rain channel to guide the drainage of water
- Ventilation holes
- 30 mm insert pockets for hearing protection/face guard
- 6-point interior
- Lightweight: 396 g (6-point)
- Sweatband made from absorbent fleece material
- Anti-glide headband
- Rotary adjuster for optimum fitmaterial

Colour	Art.No.	P.Qty.
White	0899 200 251	1
Yellow	0899 200 252	1
Blue	0899 200 253	1
Red	0899 200 250	1



ONLY
£16.99 /unit



Sweatband for SH 3000

Robust sweatband made of high-quality leather in understated beige

Art.No.	P.Qty.
0899 200 369	1

Accessory to Hard Hat Pro-Tek



ONLY
£3.99 /unit



Scratch-Resistant Visor

- For Pro-Tek hard hat
- Hard-wearing polycarbonate visor
- Interior/exterior coating: scratch-resistant
- In accordance with EN 166

Art.No.	P.Qty.
0899 200 130	1



ONLY
£8.99 /unit

Accessory to Hard Hat Pro-Tek

Protective Headgear



Safety Helmet Spider For Scaffolding Work

- Lightweight, ergonomic helmet
- Comfortable foam padding
- Excellent ventilation
- Rotary adjuster for optimum fit
- Attachment point for head lamps
- Sculpted helmet shell increases upward visibility
- Helmet shell made of ABS

Colour	EN	Art.No.	P.Qty.
White	379	0899 200 283	1
Blue		0899 200 279	1



ONLY
£59.99
/unit



Rechargeable LED headlamp Ergopower Sensor Petite

Compact headlamp with sensor function

Accessory to Scaffolding Safety Helmet

Art.No.	P.Qty.
0827 809 637	1



ONLY
£14.99
/unit



Cordless LED head lamp SPACELIGHT

Sensor function - the light can be contactlessly switched on or off by moving your hand in front of the side sensor

- Main light (COB LED): area lighting; secondary light: spotlight
- Four light levels: main light 100 % and 40 %, secondary light 100 % and 40 %
- Strobe function (main light and secondary light)

Lemen	Art.No.	P.Qty.
300	0827 809 997	1



ONLY
£15.99
/unit

SH3000 + Accessories





Accessories	Art.No.	Image			(£)/unit
			SH 3000	SH 3000 Multi	
Neck Protector	0899 200 296				£14.99
Ear defenders with bayonet mount	0899 200 337				£34.99
Full-visor	0899 200 342				£66.99
Half-visor	0899 200 343				£49.99
Half-visor tinted	0899 200 344				£49.99
Half visor adapter for SH 3000	0899 200 362				£19.99
Full visor adapter for SH 3000	0899 200 363				£19.99
Chin strap 4-point	0899 200 248				£6.99

ONLY
£28.00
/unit

Safety helmet SH 3000

EN Standard: 397.

Art.No.	P.Qty.	Colour
0899 200 345	1	White
0899 200 346	1	Red
0899 200 347	1	Blue
0899 200 348	1	Yellow
0899 200 349	1	Neon yellow
0899 200 359	1	Black



ONLY
£69.99
/unit

Safety helmet SH 3000 multi

EN Standard: 397, 12492.



Art.No.	P.Qty.	Colour
0899 200 338	1	White
0899 200 339	1	Neon yellow



PROTECTIVE EYE WEAR

YOUR PROTECTION. OUR MISSION.

EYE PROTECTION

The eye is a particularly sensitive and important sensory organ. As we recognize approximately 80 % of all impressions through our eyes, they are perhaps the most important sense in our daily lives. Humans tend to rely on sight for information about their environment.

Safety thanks to acceptance of wearing: Consistently wearing eye protection is the only reliable way to safeguard your eyes from various hazards. Würth safety goggles are designed with features that encourage greater wearability and user acceptance, ensuring optimal protection. The eyes are exposed to a large number of hazards, which can be divided into three groups:

These features include:

- **Optical hazards** caused by ultraviolet and infrared radiation, glaring light
- **Mechanical hazards** posed by dust and foreign objects
- **Chemical hazards** resulting from acids, alkalis, gases, vapours, fog and smoke

- **Excellent wearing comfort**
- **Perfect fit**
- **Modern, sleek design**
- **Maximum safety**

UV protection: 380 nm are common, but 400 nm UV protection is better. This minimal difference is not noticed in everyday life. In the long term, however, it makes all the difference: Higher UV protection is essential, for instance preventing eye cataract.

Protective Eye Wear

Anti Fog



Electra Safety Glasses

- Highly functional safety glasses in sporty design
- 100% UV protection (up to 400 nm)
- Extremely low weight of 23 g
- Soft, adjustable nose rest for non-slip fit
- Outer panes are extremely scratch-resistant and inside panes feature a permanent
- Anti-scratch and anti-fog coating
- Mechanical strength: F (45m/s)

Colour	EN	Art.No.	P.Qty.
Clear	166, 170	0899 102 340	1
Grey	166, 172	0899 102 341	1

Askella safety goggles

- Sporty, comfortable eye protection
- Sporty and lightweight design
 - Perfect fit and coverage for the eyes
 - Exterior/interior coating: scratch-resistant
 - Adjustable nose bridge made from non-slip rubber

Colour	EN	Art.No.	P.Qty.
Clear	166, 170	0899 103 170	1
Yellow		0899 103 172	1

Spica AF Safety Glasses

- Material of safety lens: Polycarbonate
- UV protection: 400 nm
- Mechanical strength: F (45m/s)
- Special coating, anti-fog on both sides, scratch-proof and anti-static
- Sporty safety glasses with intelligent ergonomics and an individually adjustable fit
- Multiple earpiece angles ensure optimum coverage of the eyes

Colour	EN	Art.No.	P.Qty.
Clear	166, 170	0899 102 334	1
Amber		0899 102 332	1



ONLY
£7.99
/unit



ONLY
£8.99
/unit



ONLY
£12.99
/unit



Safety Goggles S500

Lightweight goggles with a great fit and essential technical protective properties

- Optimal view
- Highly impact-resistant material
- Low weight



ONLY
£3.29
/unit

Colour	EN	Art.No.	P.Qty.
Clear	166, 170	0899 102 460	12



Safety Goggles/Glasses Case

With zip and belt loop.

For safe storage of goggles and corresponding spare lenses.

Colour	Art.No.	P.Qty.
Black	0899 102 350	1



ONLY
£4.99
/unit

Protective Eye Wear



Safety Goggles Ergo Top

Innovative frame technology maximum protection and comfort

- Maximum hold, will not fall off head
- Comfortable to wear thanks to even distribution of contact pressure
- Good combination option with corrective eye wear as no pressure on frames of corrective glasses.
- Variable frame inclination for optimal adjustment to face shape
-

Colour	EN	Art.No.	P.Qty.
Clear	166	0899 102 002	1



ONLY

£10.99 /unit



Libra® Overspecs

Innovative lens technology with excellent optical clarity

- Fatigue-free working
- Better ability to concentrate
- Prevents accidents and error-related risks
- Ideal for extended periods of use and in conjunction with prescription glasses

Colour	EN	Art.No.	P.Qty.
Clear	166,170	0899 102 275	1



ONLY

£16.99 /unit



Muscida safety goggles

Reliable protection and sporty design

- Excellent visibility and a comfortable fit with a modern, athletic look
- Comfortable to wear due to the lightweight materials
- Individually adjustable, soft nose pad
- Includes a microfibre bag for safe storage of the goggles

Colour	EN	Art.No.	P.Qty.
Tinted, Red, Mirrored	16321-1	0899 102 397	10



ONLY

£14.90 /unit



Polycarbonate Safety Glasses

Lightweight cost effective polycarbonate safety glasses

- Scratch-resistance coating
- Highly impact resistant
- Sporty and dynamic design

Colour	EN	Art.No.	P.Qty.
Clear	166, 170	0899 103 120	1



ONLY

£2.49 /unit

Protective Eye Wear



Full-Vision Goggles Acetate

Spacious and suitable for users who wear glasses

- All-round ventilation system
- Frosted frame suppresses light reflections
- Can be combined with half face masks
- Chemical-resistant acetate lens
- Mist-free coating
- Individually adjustable head strap

Colour	EN	Art.No.	P.Qty.
Clear	166, 170	0899 102 102	1



ONLY

£9.99
/unit



Best Seller

Full-vision goggles Andromeda®

Two-component technology for reliable protection and maximum comfort

- Panoramic field of vision
- Optimum ventilation for ideal eye comfort
- Suitable for combining with half-face masks
- High impact-resistant polycarbonate lens
- Scratch-resistant lens surface and permanent mist-free coating on inside
- Lens can be replaced quickly and easily
- Individually adjustable headband
- 100% UV protection up to 400 nm

Colour	EN	Art.No.	P.Qty.
Clear	166, 170	0899 102 110	1



ONLY

£12.99
/unit



Full-Vision Goggles FS 2020-01

Perfect protection combined with innovative design

- Very comfortable to wear thanks to the two-component technology
- Perfect fit even with narrow and wider head shapes
- Guarantees peripheral vision thanks to the panoramic lens
- Can be worn over prescription glasses and in combination with breathing protection
- Indirect ventilation system guarantees protection against drops and splashes inside
- Extremely scratch-resistant on the outside and permanently mist-free on the inside due to the high-quality coating of the lens
- With individually adjustable head strap

Colour	EN	Art.No.	P.Qty.
Clear	166, 172	0899 102 420	5



ONLY

£10.20
/unit

ONLY
£26.00
/unit



Face shield basic

Perfect protection for sanding and machining work, as well as against dripping or splashing liquids and molten metal

- Maximum safety and optimal comfort
- Large, durable polycarbonate visor with wide field of vision
- Curved front section protects the head
- Infinitely adjustable visor tilt
- Headband can be adjusted individually
- All parts that come into contact with the head are softly padded

Colour	EN	Art.No.	P.Qty.
Clear	172, 170	0899 101 225	1

Complies with EN166/ANSI Z87.1/
AS/NZS1337.1:2010

ONLY
£49.99
/unit



Face Shield Ultimate

Perfect protection for sanding and machining work, as well as against dripping or splashing liquids and molten metal

- Maximum safety with optimum comfort
- Special geometry provides extended protection for top of the head and chin
- Large, durable polycarbonate visor with wide field of vision

Colour	EN	Art.No.	P.Qty.
Clear	175, 172	0899 101 205	1

ONLY
£16.99
/unit



Glasses cleaning cloth

Practical dispenser box with 100 individually packed moist cleaning wipes

Art.No.	P.Qty.
0899 102 303	1

Protective Eye Wear

Paired with **Full-Vision Goggles FS 2020-01**



Face guard

For combination with the Full-vision goggles FS 2020-01

- Functional extension of the Full-vision goggles FS 2020-01
- Additional protection of the entire face from flying particles and splashes
- Integrated ventilation

EN	Art.No.	P.Qty.
166, 172	0899 102 421	1



ONLY
£8.00
/unit



Full-Vision Goggles FS 2020-01

Perfect protection combined with innovative design

- Very comfortable to wear thanks to the two-component technology
- Perfect fit even with narrow and wider head shapes
- Guarantees peripheral vision thanks to the panoramic lens
- Can be worn over prescription glasses and in combination with breathing protection
- Indirect ventilation system guarantees protection against drops and splashes inside
- Extremely scratch-resistant on the outside and permanently mist-free on the inside due to the high-quality coating of the lens
- With individually adjustable head strap

Colour	EN	Art.No.	P.Qty.
Clear	166, 172	0899 102 420	1



ONLY
£10.20
/unit

To Make A Full Face Protection



Youtube
Video



Application
use



Ear Defenders WNA 300

Excellent noise insulation properties and height-adjustable headband

Art.No 0899 300 420

Pg 22

HEARING PROTECTION

YOUR PROTECTION. OUR MISSION.


HEARING PROTECTION: SAFE AND SOUND

The sense of hearing is one of the most important and sensitive of the anatomy. It is exposed to a wide variety of noise loads every day and is continually under stress. Hearing loss due to the effects of chronic noise exposure is considered one of the most commonly recognised occupational health issues. It usually develops slowly and painlessly, which is why it is often detected too late. In order to prevent hearing loss, it is important to select the right hearing protection device, especially in noisy environments. This must be appropriate for the working conditions and the level of noise.

The following must be considered when selecting a hearing protection device:

- Time worn (occasional, regular, constant wear for an 8-hour work day)
- Noise experienced in the working environment
- Fitting comfort
- Effectiveness (sealing cushions)
- Ease of use
- Compatibility with other PPE (e.g. safety goggles)
- Since the hearing protection device belongs to category III (serious consequences such as death or irreversible health damage) according to PPE regulation (EU) 2016/425, annual instruction is mandatory.

Maximum weekly noise exposure during work and leisure



- **Up to 20 dB (A):** Hearing threshold
- **20–50 dB (A):** Comfortable
- **50–75 dB (A):** Harmless
- **80 dB (A):** Lower exposure action value for an 8-hour working day
- **85 dB (A):** Upper exposure action value for an 8-hour working day Hearing protection must be worn! Work areas must be marked as hearing protection zones.
- **From 100 dB (A):** Extremely loud! Short stays may lead to hearing loss and ringing in the ears.
- **From 160 dB (A):** Immediate physical damage

Hearing protection worn consistently can prevent noise-related damage to the sense of hearing.

Hearing protection must be worn for the entire time of exposure to potentially hazardous noise. An increase in noise of 3 dB (A) doubles the sound energy.

Example: 20 hours of work at a noise level of 88 dB (A) produces the same harmful effect as 10 hours of work at a noise level of 91 dB (A).

CORRECT INSERTION AND FITTING OF HEARING PROTECTION

In order to achieve optimum protection, users must know how to correctly use, put on or insert their hearing protection gear. Only hearing protection gear used correctly does provide protection. Therefore, pay attention to the following procedure:

Ear plugs



1. Roll

Roll the plug between your fingers, pressing lightly.



2. Insert

Reach over your head with your arm and pull your ear up slightly so that your ear canal is straight. Then insert ear plug.



3. Hold

Hold the plug for at least five seconds until it has fully expanded.

The ear plug is fitted perfectly if it is no longer visible from the front.

Reusable / flanged ear plugs



1. Position

Position the cord of your flanged ear plugs behind your neck.



2. Insert

Insert the flanged ear plug into your ear canal, applying light pressure.



3. Secure, correct fit

Earmuffs



1. Put on

Place earmuffs over your ears.



2. Fitting

Adjust headband by sliding the cups up or down the guide.



3. Check correct fit

The cushions must form a snug seal around your ears. For optimum results, brush excess hair aside before putting on the earmuffs.

Wearing glasses with a thick frame or a cap, hat etc. may result in poor noise protection as these objects prevent the cushions from completely and tightly surrounding your ears.



Right selection

The SNR method is a simple way to select appropriate hearing protection. SNR stands for “single number rating” and indicates the amount of protection offered by a correctly fitted hearing protective device. The SNR value is deducted from the noise level at the workplace, resulting in the noise level the wearer is exposed to. Ideally, it should be between 70 and 80 dB (A). Excessive protection may lead to feelings of isolation and can diminish a person's ability to hear critical noises.

Noise level - SNR = level of exposure at the ear

Example: 105 dB (A) - 32 dB (A) = 73 dB (A)

In practice, the calculated attenuation of the hearing protection is often not achieved. However, this is not due to the certification of the products being unsuitable for practical use, but rather to the user's wearing habits. An additional safety factor should therefore be used to compensate for improper application of the devices. Attenuation may be reduced due to the wearer's beard and hair growth, eyewear, or due to dirty hearing protection devices or ear plugs that have not been fitted correctly.

Please take these factors into consideration when selecting suitable hearing protection equipment.

Noise level - SNR + attenuation reduction factor = level of exposure at the ear

Example: 105 dB - 32 dB + 5 dB (earmuff) = 78 dB

Instruction requirements

PPE Regulation (EU) 2016/425 classifies PPE into three risk categories. Under the PPE Regulation (EU) 2016/425, hearing protection was upgraded from category II to the highest category III. This means for employers that they have to instruct their employees on the use of hearing protection every year.

In order to achieve optimum protection, users of ear plugs must know how to correctly fit them. Incorrectly fitted hearing protection provides only partial protection or no protection at all. Therefore, pay attention to the following procedure:

When relying on hearing protection at the workplace for most of the day, wearing comfort is key. Würth ear plugs are ergonomically shaped and fit snugly into the ear canal. The wearing comfort is instantly noticeable. Try it yourself!



Hearing Protection - Over Ear

ONLY
£7.99
/unit



Ear Defenders WNA Basic Lightweight and comfortable design

- Comfortable design and lightweight plastic structure
- Padded headband and soft sealing cushions
- Adapts to any head shape
- Height adjustment of straps
- Suitable for medium noise ranges
- Average SNR value
- Headband: Acetate

Art.No.	EN	P.Qty.
0899 300 450	352	1

ONLY
£14.99
/unit



Ear Defenders WNA 100 Very comfortable

- Padded headband and soft sealing cushions
- Extremely flat and light
- Adapts to any head shape
- Height adjustment of straps
- Suitable for medium noise ranges
- Medium SNR value

Art.No.	EN	P.Qty.
0899 300 400	352-1	1

ONLY
£17.99
/unit



Ear Defenders WNA 200/F With excellent insulation properties

- height-adjustable headband and fluorescent capsules
- Very comfortable
- Padded headband and soft sealing cushions
- Adapts to any head shape
- Height adjustment of straps
- Suitable for areas with lots of noise
- High SNR value

Art.No.	EN	P.Qty.
0899 300 430	352-1	1

ONLY
£19.99
/unit



Ear Defenders WNA 200 With very good insulation properties and height-adjustable headband

- Very comfortable
- Padded headband and soft sealing cushions
- Adapts to any head shape
- Height adjustment of straps
- Suitable for areas with lots of noise
- High SNR value

Art.No.	EN	P.Qty.
0899 300 410	352-1	1

ONLY
£24.99
/unit



Ear Defenders WNA 300 With very good noise insulation properties and height-adjustable headband

- Very comfortable
- Padded headband and soft sealing cushions
- Adapts to any head shape
- Height adjustment of straps
- Suitable for areas with lots of noise
- Very high SNR value

Art.No.	EN	P.Qty.
0899 300 420	352-1	1

ONLY
£66.99
/unit



Ear Defenders Hard Hat SH-2000 /SH-2000-E-S For helmet mounting on Hard hat SH 2000-S or Electrician's helmet SH-E 2000-S

- Simple fitting and removal
- The magnetic fastenings enable easy attachment of the hearing protection device to the helmet
- Not conductive

Art.No.	EN	P.Qty.
0899 200 264	352-3	1

Hearing Protection - In Ear



Ear Plug Band X-300

- Lightweight at only 8 g
- To be worn under the chin
- Designed according to the latest ergonomic findings
- Oval plugs perfectly close up the ear canal.
- Fixing of the strap eliminates distracting friction noises

Art.No.	P.Qty.
0899 300 339	1



ONLY
£5.99
/unit



Banded Ear Plugs, Foldable X-300

- Practical and comfortable can store in any shirt or jacket pocket and take with you.
- Strap worn under the chin
- Ergonomic design
- Oval plugs close off the ear canal precisely
- Strap fixes the ear plugs in place to eliminate friction noise
- Lightweight at only 8 g

Art.No.	EN	P.Qty.
0899 300 341	352	1



ONLY
£8.99
/unit



Replacement plugs For x-300 banded ear plugs

Replacement plugs for ear defender strap x-300

Notice
VE 5 = 5 pairs

Accessory to x-300

Art.No 0899 300 339
Art. No 0899 300 341

Art.No.	P.Qty.
0899 300 340	1



ONLY
£2.59
/unit



Best Seller

Corded Ear Plugs X-100 Ergonomic, cone-shaped disposable ear plugs for use in extremely noisy environments

- Always quickly available thanks to the safety cord
- Very good insulation
- Excellent speech clarity
- Very comfortable, thus no reluctance to wear
- Closed surface prevents foreign bodies and dirt particles from penetrating the ear plug

Art.No.	P.Qty.
0899 300 332	1 box = (100 pairs)



ONLY
£44.99
/unit

Hearing Protection - In Ear



Corded Ear Plugs

Soft fins make these ear plugs very comfortable to wear

- Always to hand thanks to a securing cord
- High noise insulation with good signal and speech recognition
- Comfortable to wear thanks to soft fins
- Supplied in a practical storage box

Art.No.	P.Qty.
0899 300 338	4



ONLY
£1.29
/unit



Ear Plug Dispenser

Easy-to-use and robust ear plug dispenser for wall mounting

- Easy filling
- Filling quantity: 400 pairs
- Grid rotation system prevents multiple plugs from falling out
- Catch shelf prevents the plugs from falling to the floor

Art.No.	P.Qty.
0899 300 335	1



ONLY
£34.49
/unit



Ear Plugs X-100

Cone-shaped disposable ear plugs for use in extremely noisy environments

- Ergonomic
- Outstanding insulation properties
- Excellent voice recognition
- Very comfortable for maximum user acceptance

Art.No.	Description	P.Qty.	(£)/unit
0899 300 362	Refill box	300	£13.49
0899 300 342	50 pairs	50	£18.99
0899 300 331	200 pairs	200	£16.49



FROM
£13.49
/unit



Ear plug dispenser
Easy-to-use and robust ear plug
dispenser for wall mounting

Art.No 0899 300 335
Pg 24



**Cup-Shaped Mask CM 3000 V
FFP3 NR D**

Complete protection and comfortable to wear thanks to special, soft filter materials

Art.No 0899 110 505
Pg 33

BREATHING PROTECTION

YOUR PROTECTION. OUR MISSION.

RESPIRATORY PROTECTION



Visible and invisible dangers lurk permanently in the air in our working environment. These may insidiously lead to chronic diseases. A risk assessment forms the basis for selecting the right respiratory protection.

Depending on the corresponding concentration and form of the hazardous substances present, there are different filter classes, filter types and/or mask types to choose from. The determination of the hazardous substances concentration is done based on the occupational exposure limit.

The **occupational exposure limit** is the time-weighted average concentration of a substance in the air at the workplace, at which no acute or chronic damage can be expected for the employees. The values are made in mg/m^3 and ml/m^3 (ppm). The specifications on the operation limits of respiratory protection devices are made in multiples of the limit value.

No general statement can be made **about the service life of face masks and respirators.**

Note that disposable masks may only be worn once and for no longer than one work shift (eight hours). The mask has to be replaced even sooner if the breathing resistance increases at an earlier stage. Filters for reusable masks may be used for several work shifts. Regardless of the type of filter, the following applies: As soon as the breathing resistances increase or a gas taste or smell is noticed, the filter must be replaced.

The same applies once the minimum shelf life of the filter has been exceeded.

The **correct filter class** depends on the respective hazardous substance and its concentration.

If the hazardous substance is emitted as particles in liquid or solid form, filters of the FFP1 to FFP3 classes (disposable masks), or P1 to P3 classes (semi- or full masks) should be used.

However, note that a gas filter of the corresponding filter class (A, B, E, K or Hg) is required in environments where gases or vapours occur. Combination filters have to be used if both particulate and gaseous substances occur.

COLOUR-CODING SYSTEM

Our colour-coding system makes it easier to select the correct respiratory protection equipment for the requirements at work and ensures that the required filter class is applied.

The colour shows the class of the respiratory mask and ensures enhanced safety. In addition, the colour-coding system allows for monitoring compliance with the obligation to wear respiratory masks.

Classification of the filters

Suitable respiratory protection is selected based on a risk assessment. The particle filters are divided into three different classes:



Oxygen content of at least 17 %

FFP1

FFP2

FFP3

Important:

- Particle filters for protection against radioactive materials and airborne biological agents may only be used once.
- Particle filters do not provide protection against fumes and gases.

Filter class	Application	Operation limit
FFP1	Protection against non-toxic and non-fibrogenic particles, dust and aerosols.	Up to a maximum of 4 times the limit value
FFP2	Protection against particles, dusts, solid and liquid aerosols, mist and fumes that are harmful or have a low level of toxicity	Up to a maximum of 10 times the limit value
FFP3	Protection against harmful/toxic dusts, mist, fumes, solid and liquid aerosols, as well as carcinogenic substances, radioactive substances, enzymes and microorganisms (viruses, bacteria, fungi)	Up to a maximum of 30 times the limit value

OVERVIEW OF APPLICATION

The specified filter classes are minimum requirements and serve as a guide. It is the user's responsibility to check before use whether the respiratory mask meets the hazardous substance and concentration requirements.

Activity	Hazardous substances	Filter class		
		FFP1	FFP2	FFP3
Woodworking				
Sanding and cutting softwood	Fine particles, wood dust		X	
Sanding and cutting hardwood (e.g. beech, oak) and tropical timber	Fine particles, wood dust			X
Water-soluble wood coatings containing copper/chromium/arsenic	Fine paint mist			X
Grinding/brushing off paint	Fine paint particles		X	
Grinding/brushing off paint (coatings containing chromium)	Fine paint particles			X
Construction and construction-related industries				
Cement handling	Fine particles, cement dust		X	
Cutting and drilling in brick, concrete, stone	Concrete dust	X		
Demolition works	Dust		X	
Plastering	Fine plaster dust		X	
Roof insulation, handling of glass and mineral fibres	Dust and fibres		X	
Roofing, tiling	Tile dust		X	
Asbestos: small-scale works	Fibres			X
Sanding fillers	Dust		X	
Mining	Dust		X	
Welding works				
Structural steel/zinc	Metal and zinc fumes			X
Aluminium	Aluminium oxide smoke			X
Stainless steel	Metal oxide smoke			X
Manual arc welding	Fumes			X
Laser welding	Fumes			X
Brazing	Fumes			X
Metalworking				
Drilling/sawing	Metal dust		X	
Grinding	Metal dust		X	
Disposal/cleaning				
Waste management	Dust, fungi, spores		X	
Waste sorting	Bacteria, fungi, spores		X	
Disposal of medical waste	Bacteria, viruses			X
Sweeping floors	(Non-toxic) dust	X		
Radioactively contaminated dusts	Dust			X
Agriculture				
Animal diseases/killing of infected animals, disposal of carcasses	Bacteria, viruses			X
Dealing with mould spores	Spores			X
Dust-prone activities: handling hay, cereals; emptying silos	Dust		X	
Medicine/health care				
Allergies, pollen, flour dust, house dust, animal hair	Dust, particles, spores		X	
Protection against bacteria, viruses, infections, legionella bacteria	Bacteria, viruses			X
Hospitals, emergency medical services, rescue forces	Bacteria, viruses			X

PROPERTIES OF DISPOSABLE MASKS

Folding masks

Nose clip

- Protected nose clip
- No metal against your face



Cotton headband

- Sweat-absorbing

FFP1 and FFP2:

Sealing lip in nose area

FFP3: Circumferential sealing lip to prevent air from leaking

Soft material

- No sharp edges




Headband

- Easy to attach the mask
- No metal clips

Exhalation valve

- Ensures the user feels comfortable wearing the mask



Perfect protection when used together with Würth safety goggles - [Page-16](#)

Cup-shaped masks

FFP1 and FFP2:

Sealing lip in nose area

FFP3: Circumferential sealing lip to prevent air from leaking



Pre-formed mask

- Improved fit

Nose clip

- Improved fit
- Rounded ends

Soft material

- No sharp edges

Cotton headband

- Sweat-absorbing

Headband

- Easy to put on mask
- No metal clips

Exhalation valve

- Ensures the user feels comfortable wearing the mask



PROPER FITTING OF RESPIRATORY MASKS



1. Place the mask into your hand.

Carefully stretch the straps with both hands (not required for textile ties). Place the molded or fully unfolded mask in your hand with the headbands hanging down.



2. Put on the mask.

Put the mask under your chin, with the nosepiece pointing up. Pull the bottom strap over your head so that it rests against your neck while holding the mask and the top strap with your other hand.



3. Position the top strap.

Position the top strap above your ears and adjust the nose clip. Fasten and/or adjust the top strap where necessary/possible.



4. Check the fit of the mask.

Make sure the mask fits tightly: Place both hands around the mask and breathe out strongly. If air still comes out at the sides, readjust nose clip and/or straps.

Note: Do not enter the workplace if the mask does not fit tightly!

**More
Information
About
Our Mask**

**SCAN
HERE**



Breathing Protection



Folding mask FMH 4000 V FFP1 NR D With valve

Powerful FFP1 disposable mask with outstanding wearing comfort

- Comfortable to wear even for users who wear glasses thanks to the soft materials and special shape, in which the air flow is vented downwards during exhalation
- Filter class is marked on the mask for better identification
- Perfect protection due to an optimal fit on the face

Art.No.	EN	P.Qty.
0899 110 431	149:2001 + A1:2009	10



ONLY
£2.79
/unit



Folding mask FM 3000 V FFP2 NR D

In a practical design that folds completely flat

- Hygienic individual packaging
- Exhalation valve ensures the user feels comfortable wearing the mask
- Complete protection and comfortable to wear thanks to special, soft filter materials
- Minimal breathing resistance

Art.No.	EN	P.Qty.
0899 110 523	149:2001 + A1:2009	15



ONLY
£1.99
/unit



Folding Mask FM 3000, Carbon V FFP2 NR D

With active carbon to remove unpleasant odours and for use when welding

- Practical design that folds completely flat
- Hygienic individual packaging
- Exhalation valve ensures a pleasant microclimate inside the mask
- Ideal protection and comfortable thanks to special soft filter materials
- Low breathing resistance

Art.No.	EN	P.Qty.
0899 110 524	149:2001 + A1:2009	10



ONLY
£3.69
/unit

Best Seller



Folding Mask FM 3000 V FFP3 NR D In a practical design that folds completely flat

- Hygienic individual packaging
- Exhalation valve ensures the user feels comfortable wearing the mask
- Complete protection and comfortable to wear thanks to special, soft filter materials
- Minimal breathing resistance

Art.No.	EN	P.Qty.
0899 110 525	149:2001 + A1:2009	10



Breathing Protection



Cup-Shaped Mask CM 3000 V FFP3 NR D

Complete protection and comfortable to wear thanks to special, soft filter materials

- Exhalation valve ensures the user feels comfortable wearing the mask
- Minimal breathing resistance
- Preformed design
- Nose clip for optimised fitting
- Sealing lip around the circumference
- Adjustable head strap

Art.No.	EN	P.Qty.
0899 110 505	149:2001 + A1:2009	5



ONLY
£3.99 /unit



Cup-shaped mask CM 3000 V FFP2 NR D

Complete protection and comfortable to wear

- Exhalation valve ensures a pleasant microclimate inside the mask
- Low breathing resistance
- Looped-through cotton head strap
- Use together with Würth safety glasses for optimum protection

Art.No.	EN	P.Qty.
0899 110 503	149:2001 + A1:2009	15



ONLY
£2.79 /unit



Cup-shaped mask CM 3000, carbon V FFP2 NR D

With active carbon to remove unpleasant odours and for use when welding

- Exhalation valve ensures a pleasant microclimate inside the mask
- Ideal protection and comfortable thanks to special soft filter materials
- Low breathing resistance

Art.No.	EN	P.Qty.
0899 110 504	149:2001 + A1:2009	15



ONLY
£2.99 /unit

ONLY
£1.59 /unit

Best Seller



Cup-shaped mask CM 3000 V FFP1 NR D

Complete protection and comfortable to wear thanks to special, soft filter materials

- Pre-moulded design
- Nosepiece for a better grip
- Half-height sealing lip in the nose area

Art.No.	EN	P.Qty.
0899 110 501	149:2001 + A1:2009	1



Breathing Protection - Mask



Painter's set 3 pieces 3 pieces Ready-for-use breathing protection set for painting and decorating

- Practical quick-action closure allows you to protect the inside of the mask from dirt when not wearing
- Filter against gases, vapours, fine dust and particles that occur during painting
- Can be used flexibly on construction sites, during renovation work and in the paint booth

Art.No.	P.Qty.
0899 175 020	1



ONLY

£78.99 /unit



Half face mask HM 175 Tight-fitting breathing protection for maximum comfort

- Easy use of various filters
- Double bayonet mount
- Simplified attachment and removal
- Practical quick-action closure that additionally protects the inside of the mask against contamination when not wearing
- Low breathing resistance
- Large exhalation valve

Art.No.	EN	P.Qty.
0899 175 000	140	1



ONLY

£34.99 /unit



VM 175 full face mask Tight-fitting breathing protection for the most demanding applications

- Easy use of various filters
- Double bayonet mount
- Quick and easy to attach and remove
- 5-point headband
- Mist-free view
- Intelligent ventilation system with separate inner mask

Art.No.	EN	P.Qty.
0899 175 100	136	1



ONLY

£114.99 /unit



Storage box (empty) Practical storage box for full face masks and half face masks

Length x width x height
300 x 200 x 150 mm

Art.No.	P.Qty.
0899 171 000	1



ONLY

£9.99 /unit



Breathing Protection - Filter



Combination filter A2P3 RD For breathing protection series 175

- Easy attachment of the filters by a bayonet connection system
- Compatible with half face and full face mask from series 175
- Optimum weight distribution

Art.No.	P.Qty.
0899 175 011	8



ONLY
£14.49 /unit



Combination filter ABEK1HgP3 RD For breathing protection series 175

- Easy attachment of the filters by a bayonet connection system
- Compatible with half face and full face mask from series 175
- Optimum weight distribution

Art.No.	P.Qty.
0899 175 013	8



ONLY
£12.49 /unit



Combination filter ABEK2HgP3 RD For breathing protection series 175

- Easy attachment of the filters by a bayonet connection system
- Compatible with full face mask VM 175
- Optimum weight distribution

Art.No.	P.Qty.
0899 175 101	1



ONLY
£22.99 /unit



Gas filter A2 For breathing protection series 175

- Easy attachment of the filters by a bayonet connection system
- Compatible with half face and full face mask from series 175
- Optimum weight distribution
- Using a filter pad can be expanded to an A2 P2R combination filter

Art.No.	P.Qty.
0899 175 010	10



ONLY
£4.99 /unit



Particle filter P3 R For breathing protection series 175

- Easy attachment of the filters by a bayonet connection system
- Compatible with half face and full face mask from series 175
- Optimum weight distribution

Art.No.	P.Qty.
0899 175 016	1



ONLY
£9.79 /unit



Pre-filter holder For breathing protection series 175

For extending filters A2 and ABEK1

Notice

Can only be used in conjunction with particle pre-filter pad P2 R.

Art.No.	P.Qty.
0899 175 015	1



ONLY
£3.29 /unit

Breathing Protection

Gas and combination filters

For Mask: 0899 175 000



Filter Type	Colour Code	Hazardous Material	Application	Art.No	PU
1. A2	Brown	Organic vapours and gases (boiling point above 65 °C)	Spray painting, use for solutions (high absorption capacity)	0899 175 010	10
2. A2P3	Brown White	Organic vapours and gases (boiling point above 65 °C) and fine dust (see P3R). Fine dust up to 10 times the limit value, with full mask up to 15 times the limit value	Spray painting, solutions highly poisonous and carcinogenic substances	0899 175 011	8
3. ABEK1HgP3	Brown Grey Yellow Green Red White	Organic vapours, Inorganic and acid gases, Ammoniac, Derivatives, Fine dusts up to 30 times the limit value, Fine dusts with full face mask up to 400 times the limit value	Application of chlorine, Application of bleaching agents, Application of hydrochloric acid, Application of sulphur dioxide, Application of methylamine, Against solid and liquid particles of toxic, highly toxic and carcinogenic substances, Application of mercury arc	0899 175 013	8
4. ABEK2HgP3	Brown Grey Yellow Green Red White	"Organic vapours, inorganic and acid gases, ammonia, mercury vapour and derivatives. Fine dust up to 30 times the limit value, with a full mask up to 400 times the limit value"	Use of chlorine, bleaching agents, hydrochloric acid, sulphur dioxide and methylamine, against solid and liquid particles of toxic, highly toxic and carcinogenic substances	0899 175 101	6
5. P3R		Fine dust up to 30 times the limit value, with a full mask up to 400 times the limit value	Against solid and liquid particles of toxic, highly toxic and carcinogenic substances	0899 175 016	12

**Painter's set 3 pieces**

3 pieces Ready-for-use breathing protection set for painting and decorating

Art.No 0899 175 020

Pg 34

Disposable protective suit Coverall Pro 5/6

Excellent protection against particles, dusts and liquid splashes

Art.No 0899 021 ...

Pg 56

Black Nitrile Gloves

Liquid-tight disposable nitrile glove

Art.No 0899 470 ...

Pg 43

**Tigerflex Plus Nitrile
Protective Glove**

Very comfortable to wear with
maximum grip

Art.no. 0899 411 ...

Pg 46

PROTECTIVE GLOVES


YOUR PROTECTION. OUR MISSION.

HAND PROTECTION

Our hands are our most used tool, not just in the skilled trades. Our hands help to grasp the world: We use our hands to feel whether something is rough or smooth, hot or cold, sharp or dull. That's why it is so important to protect them. Many different materials, tools and machinery are used in the trades and industry. Handling them entails a certain risk of injury. Minimize this risk by wearing protective gloves on a regular basis.

Different activities involve various kinds of risks for our hands. Accordingly, there is a wide range of protective gloves for all kinds of activities, ranging from gloves for general installation works and mechanic's tasks, cut protection gloves, chemical and disposable gloves to heat protection gloves and classic leather gloves.

Find the right glove size



To determine the right glove size, you need to take two different measurements:

- a) Hand length:** distance between wrist and tip of middle finger
- b) Hand circumference:** measured with a fabric measuring tape placed 20 mm from the inner crook of the hand between thumb and index finger.

Take both measurements and then determine your hand size based on the results:

Hand size	Hand length in mm	Hand circumference in mm
6	160	152
7	171	178
8	182	203
9	192	229
10	204	254
11	215	279
12	>215	304



Colour-coding system on the cuff of the glove

A uniform colour-coding system applies to all gloves of the Würth product range that have a colour band on the cuff of the glove. Each colour stands for a specific size,

see below table:

Size	Colour
6	Grey
7	Red
8	Blue
9	White
10	Black
11	Green
12	Yellow

PROPERTIES OF PROTECTIVE GLOVES

Using the example of the **TIGERFLEX® CUT PROTECTION GLOVE W-250 LEVEL C**

FOR MAXIMUM GRIP & CUT PROTECTION

EN 388:
2016

4 X 4 3 C

Liner material

- Soft, seamless round-knit 18 gauge backing fabric that is kind to the skin and offers a snug fit cut protection level C



Skin compatibility

- Very good skin compatibility thanks to OEKO-TEX® Standard 100




Coating

- Breathable TIGERFLEX coating made of nitrile foam



Can be used with touchscreens

- Optimal fit and outstanding tactile and finger sensitivity



Additional texture:

- Additional TIGERFLEX coating
- Breathable TIGERFLEX coating made of nitrile foam
- Optimal grip
- Good mechanical strength



STANDARDS AND MARKINGS

The most important glove standards

ISO 21420 / EN 420:2003+A1:2009


ISO 21420 is the basic standard for protective gloves and replaces the former EN 420:2003+A1:2009. Other standards that are important for and applicable to protective gloves need to refer to this document.

ISO 21420 stipulates the general requirements applicable to all protective gloves as well as the relevant test methods regarding design principles, glove preparation, harmlessness, comfort and performance, and for the labelling done and information provided by the manufacturer.

EN 388:2016

EN 388 is the most important standard in the field of mechanical protection gloves and describes the requirements, test methods, labelling and manufacturer information against the mechanical risks of abrasion, cut, tear, puncture and, if applicable, impact.

Labelling of cut protection gloves acc. to EN 388:2016



	Test criteria	Performance level	1	2	3	4	5	
A	Abrasion resistance (number of abrasion cycles)	0-4	100	500	2000	8000	-	
B	Cut resistance (coupe test)	0-5	1.2	2.5	5	10	20	
C	Tear resistance (N)	0-4	10	25	50	75	-	
D	Puncture resistance (N)	0-4	20	60	100	150	-	
			A	B	C	D	E	F
E	TDM cut resistance ISO 13997 (N)		2	5	10	15	22	30
	Impact resistance (optional)	P	If the glove has not been tested for impact resistance, it will not be labelled as such.					

Hand protection

Other standards


Gloves providing protection from cold

X stands for „Not tested“ or „Not applicable“

EN 511:2006



A B C



Watertightness (0-1)
Contact cold (0-4)
Convective cold (0-4)

PROTECTIVE GLOVES STANDARD
EN 388:2016 / ISO 13997

EN 388:2016 specifies requirements, testing methods, labelling and manufacturer information for protective gloves against the mechanical risks of abrasion, cut, tear, puncture and, if applicable, impact.

EN 388:2016 / ISO 13997

As for cut-resistant gloves, the permanent enhancement of cut-resistant yarn structures resulted in the coupe test according to EN 388:2003 as sole testing method frequently rendering no reliable results with regard to the cut resistance properties as the rotating circular blade blunted during the tests.

Therefore, compared to the previous EN 388:2003 standard, the new version EN 388:2016 defines new test methods and performance evaluations.

Test method in accordance
with EN 388:2016 (coupe test)

- The test determines the number of cycles needed for a rotating circular blade applying a constant force of 5 N to cut a test specimen.
- Comparison with a reference material and a respectively calculated index serve as a reference value.
- Depending on the result, the material is classified into the respective performance level (1 – 5).



Performance level	1	2	3	4	5
Index	1.2	2.5	5.0	10.0	20.0

Test method in accordance
with EN 388:2016 /
ISO 13997

- If the blade blunts during the cut-resistance test (coupe test) of the gloves, an additional test in accordance with ISO 13997 is required.
- Using a straight blade, a load is applied to the test specimen once.
- The force applied to cut the test specimen (20 mm deep) is determined and given in Newtons (N)
- Depending on the result, the material is classified into the respective performance level (1 – 5).



Performance level	A	B	C	D	E	F
Cut resistance in Newtons	2	5	10	15	22	30

Protective Gloves - Nitrile Powder-Free Disposable Gloves (1.5 AQL Industrial Grade)



Best Seller



Blue Nitrile Gloves

Liquid-proof, food-safe disposable glove

- Powder-free
- Silicone-free manufacturing process
- In practical disposable dispenser

Size	EN	Art.No.	P.Qty.
S	374, 388, 455	0899 470 014	100
M	374, 388, 455	0899 470 015	100
L	374, 388, 455	0899 470 016	100
XL	374, 388, 455	0899 470 017	100

Black Nitrile Gloves

Liquid-tight disposable nitrile glove

- Food-safe
- Silicone-free manufacturing process
- Free of allergenic latex proteins
- Powder-free

Size	EN	Art.No.	P.Qty.
M	374, 388:2016, 455	0899 470 870	100
L	374, 388:2016, 455	0899 470 871	100
XL	374, 388, 455	0899 470 872	100

Orange Grip Nitrile Gloves

Diamond texture for optimal grip

- Extremely tear-resistant
- Powder-free and latex free
- Food-safe
- Silicone-free manufacturing process

Size	Colour	Art.No.	P.Qty.
S	Orange	0899 470 190	100
M	Orange	0899 470 191	100
L	Orange	0899 470 192	100
XL	Orange	0899 470 193	100
XXL	Orange	0899 470 194	100



ONLY

£4.79
/unit



ONLY

£7.29
/unit



ONLY

£14.79
/unit



Latex Nitrile Gloves

Liquid-tight disposable latex gloves

- Liquid-proof, food-safe disposable glove
- Silicone-free manufacturing process
- Powder-free

Size	EN	Art.No.	P.Qty.
S	455, 374, 388	0899 470 890	100
M	455, 374, 388	0899 470 891	100
L	455, 374, 388	0899 470 892	100



ONLY

£11.29
/unit

Protective Gloves



Softflex Impact Protective Glove

Robust work glove with extra-strong back of hand and finger protection for tasks.

Perfect all-round protection

- Robust, flexible protectors on the back of the hand and around the fingers
- Thumb joint reinforcement for an extended service life

Size	EN	Art.No.	P.Qty.
6	388	0899 401 456	3
7	388	0899 401 457	3
8	388	0899 401 458	3
9	388	0899 401 459	3
10	388	0899 401 460	3
11	388	0899 401 461	3



ONLY

£6.49
/unit



Softflex Ecoline Protective Glove

Very comfortable to wear with maximum grip

- Special, breathable coating made of nitrile foam and water-based polyurethane with very good grip in wet and dry conditions
- Skin-friendly and soft, seamless, round-knit backing fabric with optimal fit
- Resource-conserving base material made from approx. 88 % recycled PET bottles
- 100 % plastic-free packaging

Size	EN	Art.No.	P.Qty.
7	388, 420	0899 401 167	6
8	388, 420	0899 401 168	6
9	388, 420	0899 401 169	6
10	388, 420	0899 401 170	6
11	388, 420	0899 401 171	6



ONLY

£3.99
/unit



Softflex Dry 3/4 Protective Glove

Liquid-repellent work glove with ¾ dip coating, ideal for wet and oily working environments. With SOFTFLEX coating technology.

- Liquid-repellent due to 3/4 double coating
- ¾ dip coating in flexible nitrile
- Additional Softflex coating on the palm with particularly slip-resistant microstructure
- SOFTFLEX technology for comfort and maximum flexibility

Size	EN	Art.No.	P.Qty.
7	388	0899 401 367	6
8	388	0899 401 368	6
9	388	0899 401 369	6
10	388	0899 401 370	6
11	388	0899 401 371	6

ONLY

£5.99
/unit



Softflex Dry Protective Glove

Liquid repellent, fully dipped work glove for wet and oily working environments. With SOFTFLEX coating technology.

- Liquid-repellent due to all-over double coating
- Full-surface dip coating with flexible nitrile
- Additional SOFTFLEX coating on the palm with particularly slip-resistant microstructure
- SOFTFLEX technology for tangible comfort and maximum flexibility
- Ultra-soft coating made of nitrile foam and water-based PU
- Optimal dry and wet grip
- Breathable
- Recycling meets function
- Backing fabric made from approx. 70 % recycled PET bottles
- Further advantages
- Very good skin compatibility due to Oeko-Tex Standard 100

Size	EN	Art.No.	P.Qty.
7	388	0899 401 377	6
8	388	0899 401 378	6
9	388	0899 401 379	6
10	388	0899 401 380	6
11	388	0899 401 381	6

ONLY

£8.79
/unit

Protective Gloves



Softflex W-130 Level B Cut-Resistant Glove Highly comfortable and flexible cut-resistant glove with SOFTFLEX coating

- SOFTFLEX technology for comfort and maximum flexibility
- Ultra-soft coating made of nitrile foam and water-based PU
- Optimal dry and wet grip
- Breathable
- Cut resistance with excellent dexterity
- Elasticated fine-knit backing fabric
- Further advantages
- Skin-friendly due to Oeko-Tex Standard 100

Size	EN	Art.No.	P.Qty.
7	388	0899 403 407	6
8	388	0899 403 408	6
9	388	0899 403 409	6
10	388	0899 403 410	6
11	388	0899 403 411	6

ONLY
£7.99
/unit



Softflex W-340 Level D Cut-Resistant Glove Liquid-repellent cut-resistant glove with $\frac{3}{4}$ dip coating for wet and oily working environments. With SOFTFLEX coating technology.

- Liquid repellent due to the double dip coating
- $\frac{3}{4}$ dip coating in flexible nitrile
- Additional Softflex coating on the palm with particularly slip-resistant microstructure
- SOFTFLEX technology for comfort and maximum flexibility

Size	EN	Art.No.	P.Qty.
7	388, 420	0899 403 757	6
8	388, 420	0899 403 758	6
9	388, 420	0899 403 759	6
10	388, 420	0899 403 760	6
11	388, 420	0899 403 761	6



ONLY
£8.79
/unit



Protective Gloves



**ECO
LINE**

Tigerflex soft protective glove Ultimate touch-sensitive protective glove in original TIGERFLEX design. The perfect combination of precision and grip

- Fits like a second skin
- Maximum wearing comfort
- Ultra-thin, breathable PU coating for precision work
- Soft, elastic fine-knit backing fabric for outstanding comfort
- Unrestricted mobility and excellent tactile sensitivity for precise work and safe handling of tools and work materials

Size	EN	Art.No.	P.Qty.
7	388	0899 411 037	6
8	388	0899 411 038	6
9	388	0899 411 039	6
10	388	0899 411 040	6
11	388	0899 411 041	6



ONLY
£1.90
/unit



TIGERFLEX Plus protective gloves Versatile, comfortable work glove in original TIGERFLEX design for optimum grip.

- Skin-friendly, soft backing fabric that is seamlessly knitted all around
- Elasticated knitted cuffs
- Breathable coating made of nitrile foam
- Excellent grip and optimised mechanical resistance
- Exceptional, eye-catching design
- Combines functionality and design
- Oeko-Tex Standard 100 for very good skin compatibility

Size	EN	Art.No.	P.Qty.
7	388	0899 411 017	6
8	388	0899 411 018	6
9	388	0899 411 019	6
10	388	0899 411 020	6
11	388	0899 411 021	6



ONLY
£2.79
/unit



TIGERFLEX Plus protective gloves Ecoline Versatile work gloves in original TIGERFLEX design. Backing fabric made from 88 % recycled PET bottles

- Soft backing fabric that is gentle on the skin and seamlessly knitted all around
- Elasticated knitted cuffs
- Breathable coating made of nitrile foam
- Backing material made from approx. 88 % recycled PET bottles
- Excellent grip and optimised mechanical resistance
- Exceptional, eye-catching design
- Combines functionality and design
- Very good skin compatibility due to Oeko-Tex Standard 100

Size	EN	Art.No.	P.Qty.
7	388	0899 411 027	6
8	388	0899 411 028	6
9	388	0899 411 029	6
10	388	0899 411 030	6
11	388	0899 411 031	6



ONLY
£2.90
/unit



Protective Glove Tigerflex Hi-Lite Very comfortable to wear with maximum grip

- Skin-friendly, seamless, round-knit polyester/ Spandex base fabric (15 gauge)
- Nitrile-foam-coated palms with additional nitrile Tiger grip
- Breathable
- Comfortable
- Soft fabric and close fit ensure excellent grip and outstanding dexterity
- Elasticated cuffs

Size	EN	Art.No.	P.Qty.
8	388, 420	0899 403 088	12
9	388, 420	0899 403 089	12
10	388, 420	0899 403 090	12
11	388, 420	0899 403 091	12



ONLY
£2.49
/unit

Protective Gloves - Cut Proof & Arc Protection



W-170 Level B cut-resistant glove

Universal, very comfortable cut-resistant glove with Dyneema® fibres and breathable PU coating

- Pleasant climate for the hands and long-lasting comfort due to a high Dyneema® fibre content and breathable PU coating
- High degree of abrasion resistance and mechanical resistance

Size	EN	Art.No.	P.Qty.
7	388	0899 403 327	6
8	388	0899 403 328	6
9	388	0899 403 329	6
10	388	0899 403 330	6
11	388	0899 403 331	6



FROM

£6.29
/unit



Cut-Resistant Glove Tigerflex W-250 Level C

Versatile cut-resistant glove with excellent comfort and optimum grip, in original TIGERFLEX design

- More durable due to additional thumb joint reinforcement
- Skin-friendly, soft backing fabric that is seamlessly knitted all around
- Good tactile sensitivity for precise work
- Elasticated knitted cuffs
- Breathable coating made of nitrile foamsensitivity for precise work and safe handling of tools and work materials

Size	EN	Art.No.	P.Qty.
7	388	0899 411 367	6
8	388	0899 411 368	6
9	388	0899 411 369	6
10	388	0899 411 370	6
11	388	0899 411 371	6



ONLY

£5.29
/unit



W-540 Level F cut-resistant glove

Ultimate protection for precision work involving the risk of cuts and that requires maximum touch sensitivity. Fits like a second skin.

- Protection against electrostatic discharge in accordance with EN 16350
- Outstanding level of comfort, including when wearing for extended periods, due to the special fine-knit base material with a thin, breathable PU coating

Size	EN	Art.No.	P.Qty.
7	388	0899 403 936	6
8	388	0899 403 937	6
9	388	0899 403 938	6
10	388	0899 403 939	6
11	388	0899 403 940	6
11	388	0899 403 941	6



ONLY

£12.10
/unit



Arm Guard W-280 Level C

- Two-layer, seamless, round-knit fine fabric design made from 100% Kevlar®
- Optimal in conjunction with cut protection clothing or gloves
- Arm guard fits perfectly over the heel of the hand due to thumb hole
- Protects the heel of the hand, wrist and forearm areas from cuts and heat

Art.No.	EN	P.Qty.
0899 400 420	388,407, 420	1



ONLY

£7.49
/unit



Arm Guard W-290 Level C

Universal arm protection with thumb hole and rip-tape fastening to protect the heel of the hand, wrist and forearm against cuts

- Perfect fit thanks to thumb hole in the grip area and rip-tape fastening for width adjustment on the upper arm
- Good mechanical abrasion resistance and good cut protection
- Very comfortable and excellent flexibility



ONLY

£8.29
/unit

Protective Gloves



MultiFit Dry protective glove
Liquid-repellent, fully dipped all-round glove, particularly suitable for wet working environments

- Fluid-repellent and breathable
- Full-surface coating made from very flexible, breathable natural latex foam
- Excellent grip in wet and dry conditions
- Also features a particularly slip-resistant microstructure surface on the palm.
- Optimum fit and maximum touch sensitivity
- Easy and quick to put on and take off
- Cuff with comfortable width

Size	EN	Art.No.	P.Qty.
7	388,407,420	0899 405 507	6
8	388,407,420	0899 405 508	6
9	388,407,420	0899 405 509	6
10	388,407,420	0899 405 510	6
11	388,407,420	0899 405 511	6



ONLY
£5.79
/unit



Glove holder with snap hooks
For easy fastening to work and protective clothing

- Very secure hold due to serrated grips
- Easy to use

Art.No.	Colour	P.Qty.
0899 899 023	Red	3



ONLY
£3.60
/unit



Protective glove MultiFit Nitrile
For all uses and very robust

- Very resistant to wear
- High resistance to many greases and oils in small amounts
- Good grip in dry and slightly damp environments due to the microporous foamed nitrile coating on the palm
- High wearing comfort due to the seamless polyamide-elastane material and the breathable nitrile foam coating
- Very good skin compatibility through Oeko-Tex® Standard 100
- Touchscreen compatible

Size	EN	Art.No.	P.Qty.
8	388, 420	0899 405 217	12
9	388, 420	0899 405 218	12
10	388, 420	0899 405 219	12
11	388, 420	0899 405 220	12
11	388, 420	0899 405 221	12



ONLY
£3.99
/unit

Protective Gloves



Pro Mechanic's Glove

Integrated magnet in the back of the hand

- Specific reinforcements at areas placed under strain
- Especially durable triple stitching on the palm
- Integrated magnet in back of hand to attach small tools and fastening materials

Size	EN	Art.No.	P.Qty.
8	388,420	0899 400 748	1
9	388,420	0899 400 749	1
10	388,420	0899 400 750	1



ONLY
£21.79
/unit



Anti Vibration Protection Glove

Reduces the impact of excessive vibration

- CE certified
- Specially designed to reduce the effects of vibration
- For use with jack hammers, concrete breakers etc
- Lightweight and comfortable
- 10 gauge liner for dexterity
- Specially formulated rubber chloroprene
- 100% breathable seamless liner

Size	EN	Art.No.	P.Qty.
9	388:2016, 420	9501 007 839	100
10		9501 007 840	100
11		9501 007 841	100



ONLY
£15.49
/unit



Scaffolders Glove

The Scaffolders glove offers the necessary hand protection with both comfort and grip.

- Latex dipped palm
- Crinkle finish to enhance grip
- 10 gauge liner for dexterity



ONLY
£1.29
/unit

Size	EN	Art.No.	P.Qty.
8	388, 420	0899 401 538	12
9	388, 420	0899 401 539	12
10	388, 420	0899 401 537	12
11	388, 420	0899 401 536	12

REQUIREMENTS FOR CHEMICAL-RESISTANT GLOVES

The essential requirements for chemical-resistant gloves are laid down in EN ISO 374. The revision of the standard led to fundamental changes and new labels.

Protection against chemical risks

New marking of chemical-resistant gloves in accordance with EN ISO 374-1:2016

EN ISO 374-1:2016

Type A



A B C D E F

Type A permeation resistance:

Permeation resistance of at least 30 minutes with at least six test chemicals.

EN ISO 374-1:2016

Type B



A B C

Type B permeation resistance:

Permeation resistance of at least 30 minutes with at least three test chemicals.

EN ISO 374-1:2016

Type C



Type C permeation resistance:

Permeation resistance of at least 10 minutes with at least one test chemical.

Definition of permeation

Permeation is the process by which a chemical moves through the material of a protective glove on a molecular level. The time from the first contact of the chemical substance with the glove until the moment the substance has moved through the material is called break-through time and is measured as a level of performance.

Test chemicals in accordance with EN ISO 374-1:2016

	Code letter	Test chemical
EXISTING	A	Methanol
	B	Acetone
	C	Acetonitrile
	D	Dichloromethane
	E	Carbon disulphide
	F	Toluene
	G	Diethylamine
	H	Tetrahydrofuran
	I	Ethyl acetate
	J	n-heptane
	K	Sodium hydroxide 40 %
	L	Sulphuric acid 96 %
NEW	M	Nitric acid 65 %
	N	Acetic acid 99 %
	O	Ammonia solution 25 %
	P	Hydrogen peroxide 30 %
	S	Hydrofluoric acid 40 %
	T	Formaldehyde 37 %

Performance levels of permeation resistance in accordance with EN ISO 374-1:2016

Measured break-through time	Performance level of permeation resistance (permeation level)
< 10 min	0
> 10 min	1
> 30 min	2
> 60 min	3
> 120 min	4
> 240 min	5
> 480 min	6

Protection against micro-organisms

New marking of chemical-resistant gloves in accordance with EN ISO 374-5:2016

EN ISO 374-5:2016



Marking of gloves protecting against bacteria and fungi

EN ISO 374-5:2016



Marking of gloves protecting against viruses, bacteria and fungi

Protective Gloves



Household glove
Liquid-proof, premium-quality
cleaning glove made from natural
latex

- Diamond pattern for a secure grip
- Extremely elastic
- Optimal tactile sensitivity
- Silicone-free manufacturing process

Size	EN	Art.No.	P.Qty.
7	374, 388, 420	0899 415 01	12
8		0899 415 02	12
9		0899 415 03	12
10		0899 415 04	12



ONLY
£1.99
/unit



**Nitrile Chemical
Protective Glove**
Long, heavy-duty design

- Heavy duty
- Diamond pattern for a secure grip
- Chemical and liquid protection
against many alkalis, acids, greases,
oils and in some cases solvents
- Silicone-free manufacturing process
- Food-safe
- Material: Nitrile
- Length: 450mm

Size	EN	Art.No.	P.Qty.
8	374, 388, 420	0899 435 408	6
9		0899 435 409	6
10		0899 435 410	6



ONLY
£11.99
/unit



**Chemical cut protection glove
W-310 Level D**

Very robust, liquid-proof protective
glove that combines optimal cut
protection with chemical protection

- Cut-proof backing fabric consists of
high-performance cut-resistant fibres
- Liquid-proof nitrile coating with good
resistance to grease, oil and chemicals
- Good grip in damp, wet and oily work
areas

Size	EN	Art.No.	P.Qty.
8	374, 388, 407	0899 403 718	6
9		0899 403 719	6
10		0899 403 720	6



ONLY
£17.99
/unit



Protective Gloves



ONLY
£5.29
/unit



Heat Protection Glove H-100

- Increased heat protection due to heavy, seamless double-knit design
- Short-term protection against contact heat up to 250°C
- Better grip and flexibility due to nitrile nubs on both sides
- Good comfort thanks to cotton round-knit design
- Can be worn on either hand
- Universal, flexible heat protection glove with nitrile nubs for short-term contact with heat

Size	EN	Art.No.	P.Qty.
9	374, 388, 420	0899 407 009	6
10		0899 407 010	6



ONLY
£9.29
/unit



Welding Glove W-130

Dexterous protective glove for TIG welding and working with excellent fingertip sensitivity

- Excellent touch sensitivity
- Palms and backs of hands made from supple nappa leather
- Split leather cuffs
- Lined cuffs
- Repellent to oil, grease and water

Size	EN	Art.No.	P.Qty.
8	388, 420, 12477B	5350 050 308	1
9		5350 050 309	1
10		5350 050 310	1
11		5350 050 311	1



ONLY
£5.79
/unit



Split Cowhide Leather Glove W-10

Robust work glove made from split leather

- The thumb and index finger are completely made of leather for special protection
- Backs of hands made from heavy cotton fabric
- Knuckle guards and fingertips made of split leather
- Rubberised cuff
- Cotton half-lining

Size	EN	Art.No.	P.Qty.
9	388, 420	5350 000 109	12
10		5350 000 110	12
11		5350 000 111	12

A person wearing a white Tyvek protective suit and a respirator mask is working in an industrial environment. The person is holding a large, dark, rectangular object. The background shows industrial equipment, including large pipes and a control panel. A red overlay covers the right side of the image, and a white arrow points from the text 'Art.No 0899 020 ...' to the person's chest.

Protective suit TYVEK® 500 Xpert

Ideal combination of protection, durability and comfort. Innovative, ergonomic design for optimum freedom of movement

Art.No 0899 020 ...

Pg 61

PROTECTIVE CLOTHING

YOUR PROTECTION.
OUR MISSION.

PROTECTIVE SUITS

Disposable coveralls with a hood are not only used in the painting trade. But also when plastering or sanding, robust, tear-resistant protective suits offer excellent protection against dirt, dust, chemicals and liquids—without restricting your freedom of movement.



Safety & Workwear - Protective Clothing



ONLY
£2.49
/unit



Disposable protective suit Coverall Pro 5/6

Excellent protection against particles,
dusts and liquid splashes

- Protective suit CAT 3, type class 5 + 6
- Prevents static charge
- Anti-static as per EN 1149-1
- Ideal for painting work
- Lint-free
- Tear and abrasion-resistant

Size	Colour	Art.No.	P.Qty.
M	White	0899 021 212	25
L	White	0899 021 213	25
XL	White	0899 021 214	25
XXL	White	0899 021 215	25
3XL	White	0899 021 216	25



ONLY
£8.49
/unit



Protective suit TYVEK® 500 Xpert

Ideal combination of protection, durability
and comfort. Innovative, ergonomic
design for optimum freedom of movement

- High degree of resistance to wear and tear
- Anti-static on both sides
- Silicon-free
- Breathable: Permeable to air and water vapour

Size	Art.No.	P.Qty.
M	0899 020 122	5
L	0899 020 123	5
XL	0899 020 124	5
XXL	0899 020 125	5
XXXL	0899 020 126	5



ONLY
£42.99
/unit



Overalls Anti flame Overalls, ant flame, dark blue

- 100% fire resistant cotton, Carrington 3111PB, 340 g/m²
- Lightweight, simple design
- Tall collar protects you from sparks
- Snap fasteners under a protective strip
- Adjustable cuffs (snap fasteners)
- Breast pockets with flaps; a separate access card pocket that can be pushed inside the regular pocket
- Vertical large side pockets
- Back pocket with a flap
- Measuring tape/welding electrode pocket, hammer loop
- Knee pad pockets that are filled from the inside
- Adjustable elastic waist

Size	Category	Art.No.	P.Qty.
M	388, 420	0984 200 100	1
L		0984 200 101	1
XL		0984 200 102	1
XXL		0984 200 103	1

Safety & Workwear - Protective Clothing



Reusable painting suit with hood and drawstring

- Silicone-free
- 100% polyester
- Antistatic and lint-free
- Breathable
- Elasticated sleeves, ankles and waist
- Two-way zip with cover
- Washable up to 40°C or dry clean

Size	Art.No.	P.Qty.
M	0899 025 010	1
L	0899 025 011	1
XL	0899 025 012	1
XXL	0899 025 013	1



ONLY
£14.99
/unit



Overshoe

Hygiene and dirt protection overshoe for protection against fluids and dirt

- Colour: Blue
- Size: Universal
- Material: PE - Polyethylene

Art.No.	P.Qty.
0899 028 1	100



ONLY
£6.29
/unit



Overshoe with outer sole

- Overshoe made from air-permeable polypropylene fleece with non-slip and waterproof outsole
- Reusable protective overshoe
- The sturdy and tear-resistant material guarantees a long service life

Art.No.	P.Qty.
0899 028 6	50



ONLY
£19.99
/unit

Safety & Workwear - Protective Clothing



ONLY

£45.99
/unit

Fluorescent high-visibility trousers, class 2

Trousers in a modern design with reflective inserts for maximum comfort

- 5 outer pockets, pen pocket, folding rule pocket and mobile phone pocket
- Reflective strips in a fashionable design
- Elasticated waistband, ergonomic cut in knee area
- ID card holder
- Knee pockets, certified in accordance with EN 14404
- EN ISO 20471 class 2

Orange

Size	Art.No.	P.Qty.
24 - 118	M410 112 4..	1

Yellow

Size	Art.No.	P.Qty.
24 - 118	M410 111 4..	1



Orange



Yellow



Fluorescent high-visibility jacket domestic

Durable, high-visibility work jacket, cotton-rich for maximum comfort. The reflector strips guarantee safety at work

- 4 outer pockets, 3 inside pockets, 2 pen pockets
- Reflective strips
- High collar, adjustable cuffs, extra-long back
- ID card holder
- EN ISO 20471 class 3, except size XS-S EN ISO 20471 class 2

Orange

Size	Art.No.	P.Qty.
S - XXL	M409 423 00..	1

Yellow

Size	Art.No.	P.Qty.
S - XXL	M409 422 0	1



ONLY

£54.99
/unit



High-vis vest with hook-and-loop fastener

- Two all-round reflective strips 5 cm wide
- Individually packed in polythene bags

Art.No.	Colour	P.Qty.
0824 403 050	Yellow	50
0899 078	Orange	50



ONLY

£2.79
/unit



ONLY

£59.99
/unit

High-visibility rain jacket All-rounder with an extended parka fit

- Material: 100% polyester, polyurethane-coated
- Fabric weight per m2: 160 g
- Standards: ISO 20471, EN 20471, EN 343

Art.No.	Colour	P.Qty.
M009 050 0*	Orange	50
M009 049 0*	Yellow	50



Safety & Workwear - Protective Clothing



Ergo Pad knee pads High-quality, ergonomically shaped kneeling cushion that fits perfectly to the knee

- Ergonomic design for optimal comfort and safety
- Excellent damping properties
- Light and durable material
- Puncture-proof
- Designed for our work trousers DIN EN 14404

Art.No.
M437 484 999

P.Qty.
1



ONLY
£10.49 /unit



Mechanic's protective mat Protective mat made from non-absorbent foam, to protect against dirt and prevent health hazards.

- Wipe-clean
- Easy-to-clean, closed-cell surface
- Practical
- Ergonomic carry handle
- Robust
- Resistant to oil, petrol and brake-cleaning agent

Art.No.
0899 500 210

P.Qty.
1



ONLY
£12.00 /unit



Würth Modyf Cooling Baseball Cap Stylish baseball cap, with innovative cooling function

- Antibacterial and machine washable
- Easy to use and to reuse
- Lightweight, non-toxic, and durable
- Provides cooling relief up to 15°C/59°F below ambient temperature
- Provides up to 8 hours of cooling comfort

Art.No.	Size	P.Qty.
M474 294 001	S/M	1
M474 294 003	L/XL	1

ONLY
£19.90 /unit



**WSH III 5-13 Automatic Welding
Helmet For Professional Welders**

Recessed viewing window for preventing scratches

Art.No 0984 690 030

Pg 62



WELDING PROTECTION

YOUR PROTECTION. OUR MISSION.

Welding Protection

Safety hazards associated with welding include radiation, heat, splashes, and exposure to fumes and gases. Furthermore, almost all welding methods pose a threat of combustion and fire. Würth offers welding protection from head to toe to keep you safe from harm.

Recommended applications

The recommended protection levels are only a suggestion and correspond to EN 169:2002. The individual sensitivity of the eyes may require a deviation of ± 1 .

Current rating	1.5	6	10	15	30	40	60	70	100	125	150	175	200	225	250	300	350	400	450	500	600
Electrode	8							9		10	11		12			13		14			
	WSH III 5-13																				
								WSH III 9-13													
										WSH III 10/11											
MAG	8							9	10	11		12				13					
	WSH III 5-13																				
										WSH III 9-13											
										WSH III 10/11											
TIG			8	9				10		11		12				13					
	WSH III 5-13																				
										WSH III 9-13											
MIG Heavy metals									9	10	11		12			13		14			
	WSH III 5-13																				
										WSH III 9-13											
										WSH III 10/11											
MIG Light metals, rust-proof, Al										10	11	12	13			14					
	WSH III 5-13																				
	WSH III 9-13																				
										WSH III 10/11											
Plasma cutting/microplasma welding	4	5	6	7	8		9	10	11	12											
	WSH III 5-13																				
										WSH III 9-13											



Protective Eye Wear - Welding



Automatic welding helmet Solar II 9-13

Ideal for all applications using a variety of welding processes

- 2 modes of protection available, automatic and manual adjustment
- Ergonomically designed helmet shell: protects the forehead, crown, ears and neck perfectly.
- Lightweight and extremely comfortable
- Smoke-repellent design
- Protects against weld spatter and heat and protects during overhead welding
- Comfortable four-way adjustable head-band (height, width, angle and longitudinal direction)

Notice

- Caution: Not suitable for laser welding and gas welding.

Art.No.	EN	P.Qty.
0984 700 400	166, EN 175, EN 379, CSA Z94.3	1



ONLY

£74.99
/unit



WSH III 10-11 automatic welding helmet

Standard helmet for welding with one or two protection levels

- Recessed viewing window for preventing scratches
- Very comfortable to wear thanks to low weight
- Special smoke-repellent design
- Control unit within the helmet
- Protection levels 10 and 11 adjustable
- Suitable for overhead welding

Notice

- Not suitable for laser and pulsed-arc welding and applications with < 20 ampere welding current!
- The sensitivity must be adjusted to suit the arc!

Art.No.	EN	P.Qty.
0984 690 010	379	1



ONLY

£174.99
/unit



WSH III 5-13 Automatic Welding Helmet For Professional Welders

Comfort adjustable for protection levels 5 and 13

- Recessed viewing window for preventing scratches
- Very comfortable to wear thanks to low weight
- Special smoke-repellent design
- Control unit outside the helmet
- Infinitely adjustable sensitivity
- Grinding mode
- Suitable for overhead welding
- Not suitable for laser welding
- The sensitivity must be set to the arc

Notice

- Not suitable for laser welding!
- The sensitivity must be set to the arc!

Art.No.	EN	P.Qty.
0984 690 030	379	1



ONLY

£262.99
/unit

ONLY

£12.79
/unit



Welding Goggles Fornax® Plus

Maximum protection in an innovative design

- Panoramic lens for large field of vision
- Scratch-resistant lens surface and permanent anti-fog coating on inside
- Integrated side protection
- Minimises the glare of welding sparks
- 100% UV protection (up to 400 nm)
- Flexible two-component arms for great comfort and a secure fit

Art.No.	EN	P.Qty.
0984 502 250	166, 169	1

Protective Clothing & Accessories - Welding



Portable Welding Protection Wall

The combination of extremely robust base frame based on square profiles (30x30 mm) and the welding protection curtain is suitable for arc welding according to EN 1598.

- Translucent orange welding protection curtain
- Risk factor < 1
- Degree of reflection: 230 to 400 nm < 10%

Art.No.

0984 770

P.Qty.

1



ONLY

£149.99
/unit



Welding apron made from split leather

Robust protection during welding work

- Flexible, adjustable leather straps
- Rough and robust surface

Art.No.

0984 312

P.Qty.

1



ONLY

£26.99
/unit



Gaiters made from split leather

For welding work

- Individually adjustable with three buckles
- With foot cover and stirrup

Art.No.

0984 317

EN

ISO 11611 Class 2,
ISO 13688

P.Qty.

1



ONLY

£9.99
/unit



ONLY

£5.79
/unit

Gaiters made from split leather

For welding work

- Individually adjustable with three buckles
- With foot cover and stirrup

Art.No.

5350 050 311

EN

388, 407

P.Qty.

1



Adhesive-free elast plaster, latex-free
For all wounds and cuts

Large size plaster pack
Perfect sizing for travel

Art.No 0899 512 24
Pg **67**

FIRST AID
YOUR PROTECTION.
OUR MISSION.

WHAT DO I NEED IN MY WORKPLACE?

Employers are required to carry out an assessment of first-aid needs. This involves consideration of workplace hazards and risks, the size of the organisation and other relevant factors, to determine what first-aid equipment, facilities and personnel should be provided. Reliance Medical have put the table together as a guidance for adequate and appropriate equipment in the workplace.



BETTER FOR THE WORKPLACE,
BETTER **FOR THE PLANET.**

	WORKPLACE FIRST AID KIT	EYE WASH STATION	SMALL BURNS KIT
ON THE CONSTRUCTION SITE	✓	✓	✓
IN THE WAREHOUSE	✓	✓	✓
ON THE WASTE MANAGEMENT SITE	✓	✓	✓
IN THE KITCHEN	✓	✓	✓
IN THE OFFICE	✓	✓	✓
IN THE HOSPITAL	✓	✓	✓
IN THE WORKSHOP	✓	✓	✓
IN THE STADIUM/ARENA	✓	✓	✓
IN A SCHOOL/ EDUCATIONAL ESTABLISHMENTS	✓	✓	✓

First Aid



One person first aid travel kit Easy to Carry

- Very compact and easy to store
- Soft Green Pouch with Belt Loop

Meets HSE guidelines

Perfect Necessary Contents:

- 1x First aid guide,
- 2x Wound cleansing wipes
- 2x Triangle bandage 90cmx127cm
- 1x Large dressing 18cmx18cm
- 1x Powder free nitrile gloves
- 20x Assorted waterproof plasters

Art.No.	P.Qty.
0899 520 148	1



ONLY
£4.49 /unit



Art.No.	P.Qty.
0899 520 157	1



ONLY
£9.99 /unit

First aid case small

Ideal to Cover:

- Low risk: 1 kit per 1-25 employees
- High risk: 1 kit per 1-5 employees

Contents:

- Burn Dressing X 1
- Saline Cleansing Wipes X 20
- Conforming Bandage (7.5cm x 4cm) X 1
- Eye Pad Dressing (7cm x 5cm) X 2
- Finger Dressing (3.5cm2) X 2
- Foil Blanket (130cm x 210cm) X 1
- Guidance Leaflet X 1
- Microporous Tape X 1
- Nitrile Gloves X 6
- Plasters, Washproof Assorted X 40
- Resuscitation Face Shield X 1
- Safety Pins X 6
- Sterile Dressings X 5
- Triangular Bandage (90cm x 90cm x 127cm) X 2
- Universal Shears X 1

Art.No.	P.Qty.
0899 520 168	1



ONLY
£19.99 /unit

Eye wash station

Ideal for eye irrigation in the work- place or at home, for use on minor eye irritations only

- New compact size
- Large shatterproof mirror
- Illustrated, easy-to-understand instructions
- Twist and squeeze for easy and quick application
- Can be wall mounted for quick access

Contents:

- Eye Pad Dressing, Boxed x 2
- Eye Wash Pod, 20ml x 8

ONLY
£29.99 /unit



First-aid case - burn care Burncare-17pcs

Art.No.	P.Qty.
0899 520 149	1



Eye wash station portable

This Provides fast and effective
treatment in the workplace or home
which meets the guidelines given by
the Health & Safety Executive

Contents:

- 1 x Bracket
- 2 x Dressings, Eye Pad
- 2 x Eye Wash, Bottles 500ml

Art.No.	P.Qty.
0899 511 919	1



ONLY
£14.99 /unit

First Aid



First-aid case DIN 13169 Suitable for stationary and mobile use

- Includes wall bracket with 90° locking mechanism
- Easy to find what you need thanks to flexible interior compartments and acrylic glass cover
- High-strength ABS plastic
- Retains its shape, is impact-resistant and temperature-resistant
- Dust- and splash-proof thanks to rubber seal in the interior
- For up to 100 employees in manufacturing and processing plants
- For up to 50 employees on construction sites or at similar facilities
- For up to 300 employees in administrative and commercial enterprises

Art.No. 0899 520 15 **P.Qty.** 1



ONLY
£59.99 /unit



Assorted plasters fabric

Contents:

- 12x 7.5cm x 5cm
- 20x 4cm x 4cm
- 20x 7.5cm x 5cm
- 20x 4cm x 2cm
- 20x 6cm x 2cm
- 10x Anchor
- 10x fingertip
- 8x finger extension

Art.No. 0899 520 164 **P.Qty.** 1



ONLY
£6.79 /unit



Adhesive-free elast plaster

- Can be removed without leaving any residue, does not adhere to skin, hair or wounds
- Self-adhesive (only adheres to itself)
- Excellent adhesion even on wet, oily and contaminated skin
- Absorbent, absorbs blood
- Very elastic
- Good freedom of movement
- Gentle on the skin

Art.No. 0899 512 24 **P.Qty.** 1



ONLY
£9.29 /unit

ONLY
£12.99 /unit



First-aid kit for car DIN 13164:2022 First-aid kit

Art.No. 0899 520 7 **P.Qty.** 1



UV 50 sun protection spray

Waterproof, transparent sunscreen spray for immediate protection against medium to high natural UVA and UVB radiation during outdoor work

Art.No. 0890 600 151 **P.Qty.** 1



ONLY
£14.99 /unit



Dispenser For adhesive-free latex-free plasters

- Optimum availability
- Rapid wound care
- Hygienic storage
- Integrated blade for cutting plasters

Art.No. 0899 512 23 **P.Qty.** 1



ONLY
£23.29 /unit

Scan me!



Download the
Würth App for
your devices to
ensure you re-
main supported
into the future!



PERSONAL PROTECTIVE EQUIPMENT

2026 EDITION

Würth UK Ltd.

1 Centurion Way, Erith
Kent, DA18 4AE
United Kingdom

T: 03300 555 444

F: 03300 555 666

E: contact@wurth.co.uk

www.wurth.co.uk

All information and prices are correct at the time of going to print and may change without notice. Our standard carriage applies. While we endeavour to hold sufficient stock to meet all orders, if we have insufficient stock this item will be placed on back order (excluding discontinued/end of line or (while stocks last) for your account and delivered as soon as stock becomes available. Some products are directly delivered from Germany and may take 3 - 5 working days to arrive. Please note: Non-stocked products may be subject to a lead time. Please check with your local consultant. Würth UK 06/26. Offers valid June 2026 only.